


# Rum Rtx<sup>®</sup>-1301

- |                       |                            |
|-----------------------|----------------------------|
| 1. acetaldehyde       | 8. ethyl acetate           |
| 2. methanol           | 9. <i>sec</i> -butanol     |
| 3. ethanol            | 10. isobutanol             |
| 4. acetone            | 11. isoamyl alcohol        |
| 5. ethyl formate      | 12. active amyl alcohol    |
| 6. isopropanol        | 13. <i>n</i> -amyl alcohol |
| 7. <i>n</i> -propanol |                            |



60m, 0.25mm ID, 1.4 $\mu$ m Rtx<sup>®</sup>-1301 (cat.# 16016)  
1.0 $\mu$ L split injection using a Cyclosplitter<sup>®</sup> liner (cat.# 20706).  
Conc.: neat

Oven temp.: 35°C (hold 5 min.) to 100°C @ 1°C/min.  
Inj./det. temp.: 150°C / 200°C  
Carrier gas: hydrogen @ 40cm/sec.  
Split ratio: 100:1

Restek Corporation 110 Benner Circle Bellefonte, PA 16823  
814-353-1300 • 800-356-1688 • Fax: 814-353-1309 • www.restek.com